Appln No. 10/660,452 Amdt date August 4, 2008 Reply to Office action of June 2, 2008

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1 6. (Cancelled)
- 7. (Previously Presented) An intervertebral disk prosthesis for use in the vertebral column, comprising:
 - a base plate;
 - a top plate;
- a core arranged in between the base plate and the top plate and being in contact with the base plate and the top plate, wherein the core is biconvex, having a convex surface on a side facing the top plate and a convex surface on a side facing the base plate, the convex surfaces forming sliding faces;

the top plate having a curved section in sliding engagement with the convex surface of the core facing the top plate;

the base plate having a curved section in sliding engagement with the convex surface of the core facing the base plate;

wherein the core comprises an upper body defining the convex surface on the side facing the top plate, a lower body defining the convex surface on the side facing the base plate and an annular intermediate elastic body between and separating the upper and lower bodies;

wherein the intermediate elastic body is configured to extend primarily in a plane generally perpendicular to the vertebral column; and

wherein the prosthesis is configured to replace the vertebral disk.

8. (Previously Presented) The intervertebral disk prosthesis according to claim 7, the top plate having an outer edge and the base plate having an outer edge, wherein the base plate and the top plate each have teeth on their outer edges extending vertically outwards away from the core to engage in an adjacent wall of a vertebra in the vertebral column.

Appln No. 10/660,452 Amdt date August 4, 2008 Reply to Office action of June 2, 2008

9 - 13. (Cancelled)

- 14. (Original) The intervertebral disk prosthesis according to claim 7, wherein along a central axis extending from the base plate to the top plate a mandrel is provided to limit the relative movement between the base plate and the top plate about the central axis.
- 15. (Previously Presented) An intervertebral disk prosthesis for use in the vertebral column, comprising:
 - a base plate;
 - a top plate;

a core arranged in between the base plate and the top plate and being in contact with the base plate and the top plate, wherein the core is biconvex, having a convex surface on a side facing the top plate and a convex surface on a side facing the base plate, the convex surfaces forming sliding faces;

the top plate having a curved section in sliding engagement with the convex surface of the core facing the top plate;

the base plate having a curved section in sliding engagement with the convex surface of the core facing the base plate;

wherein the core comprises an upper body defining the convex surface on the side facing the top plate, a lower body defining the convex surface on the side facing the base plate and an intermediate elastic body between and separating the upper and lower bodies;

wherein the intermediate elastic body is configured to extend primarily in a plane generally perpendicular to the vertebral column;

wherein the prosthesis is configured to replace the vertebral disk; and wherein the core has a bore extending from the base plate to the top plate and wherein a connecting sleeve is provided within the bore to engage the base plate and the top plate.

16. (Previously Presented) The intervertebral disk prosthesis according to claim 15, wherein at least one screw is screwed into the connecting sleeve to connect the base plate, the top plate, and the core to each other.

17 - 18. (Cancelled)

Appln No. 10/660,452 Amdt date August 4, 2008 Reply to Office action of June 2, 2008

- 19. (Previously Presented) The intervertebral disk prosthesis according to claim 7, wherein the base plate is cylindrical in shape to accommodate a cylindrical casing that is operable to be placed on the cylindrical base plate.
- 20. (Previously Presented) The intervertebral disk prosthesis according to claim 19, wherein the cylindrical casing has two opposite ends and teeth located in one of its ends to engage an adjacent wall of a vertebral body.
- 21 27. (Cancelled)
- 28. (Previously Presented) The intervertebral disk prosthesis according to claim 7, wherein the curved section of the top plate is concave.
- 29. (Previously Presented) The intervertebral disk prosthesis according to claim 7, wherein the curved section of the base plate is concave.